



2024-2025 SOUND PRODUCTS



1st Edition

Champion series

[Click Here](#)



Z
SERIES

[Click Here](#)

D
SERIES

[Click Here](#)



A
series/séries

[Click Here](#)



R
series/séries

[Click Here](#)



G
series/séries

[Click Here](#)




MARINE
series/séries

[Click Here](#)



PRO
PIONEER
REFERENCE FOR
OPEN SHOW

[Click Here](#)



ACTIVE
SUBWOOFERS

[Click Here](#)



OTHERS

[Click Here](#)



AMPLIFIERS

[Click Here](#)



Champion series

HIGH POWER & FORCEFUL BASS



霸
Champion series PRO

Tougher at handling more high power input at higher volume without compromising higher quality.

Dual Spiders and Motor Assembly is the driving force of massive dynamic sound that's true to the Champion Series name.



TS-6975V3

6"x9" 3-Way Speaker

4Ω

550w	80w
MAX	RMS

MAGNET WEIGHT	550g
----------------------	-------------

Perfect Matching Amplifier **GM-DC874** [MORE INFO](#)

霸
Champion series



TS-6965V3

6"x9" 3-Way Speaker

4Ω

450w	80w
MAX	RMS

MAGNET WEIGHT	380g
----------------------	-------------

Perfect Matching Amplifier **GM-DC874** [MORE INFO](#)

霸
Champion series



TS-7150F

7"x10" 5-Way Speaker

4Ω

500w	80w
MAX	RMS

MAGNET WEIGHT	490g
----------------------	-------------

Perfect Matching Amplifier **GM-DC874** [MORE INFO](#)

霸
Champion series PRO



TS-1675V3

6.5" 3-Way Speaker

4Ω

500w	80w
MAX	RMS

Perfect Matching Amplifier **GM-DC874** [MORE INFO](#)

霸
Champion series PRO



TS-W3004D4

12" DVC Component Subwoofer

DUAL 4Ω

2400w	800w
MAX	RMS

MAGNET WEIGHT	3,250g
----------------------	---------------

Perfect Matching Amplifier **GM-DC971** [MORE INFO](#)

NEW

NEW

霸
Champion series



TS-W312D4

12" DVC Component Subwoofer

DUAL
4Ω

1600w 500w
MAX RMS

MAGNET WEIGHT 2,540g

Perfect Matching Amplifier **GM-DC871** [MORE INFO](#)

霸
Champion series



TS-W312S4

12" SVC Component Subwoofer

SINGLE
4Ω

1600w 500w
MAX RMS

MAGNET WEIGHT 2,540g

Perfect Matching Amplifier **GM-DC874** [MORE INFO](#)

霸
Champion series



TS-W32S4

12" SVC Component Subwoofer

SINGLE
4Ω

1500w 400w
MAX RMS

MAGNET WEIGHT 1,300g

TS-WX3000T

12" Bass Reflex Tube Subwoofer

SINGLE
4Ω

1600w 500w
MAX RMS



BACK TO MENU



Z SERIES

HIGH RESOLUTION SOUND

Hi-Res
AUDIO

OPEN &
SMOOTH™

Wider frequency range, resulting from the tweeter's optimal aluminium diaphragm shape and Vertex Drive System, enriches and expands sound field presence in the car cabin.

Dynamic range is widened, thanks to the speaker's light, rigid Aramid fiber cone, superior linearity and low distortion.



TS-Z65CH

6.5" 2-Way Component Speaker
External Crossover

4Ω

330w 110w
MAX RMS

CHAMPION SERIES

Z-SERIES



TS-Z65C

6.5" 2-Way Component Speaker
External Crossover

4Ω

300w **100w**
MAX RMS



TS-Z65F

6.5" 2-Way Coaxial Speaker

4Ω

330w **110w**
MAX RMS



TS-Z10LS4

10" Shallow Component
SVC Subwoofer

SINGLE
4Ω

1300w **400w**
MAX RMS

MAGNET WEIGHT **1,920g**



TS-Z10LS2

10" Shallow Component
SVC Subwoofer

SINGLE
2Ω

1300w **400w**
MAX RMS

MAGNET WEIGHT **1,920g**

BACK TO MENU

D SERIES

**BOLD SOUND &
WIDE COVERAGE**



**OPEN &
SMOOTH™**

RB™
INJECTION
MOLDED
CONE

Aramid Fiber Interlaced IMPP™ Cone
for rich linear bass sound.

Diverse lineup of speakers for
installation in a wide range of cars.



TS-D65C

6.5" 2-Way Component Speaker

4Ω

270w **90w**
MAX RMS



TS-D69C

6"x9" 2-Way Component Speaker

4Ω

330w **110w**
MAX RMS



TS-D65F

6.5" 2-Way Coaxial Speaker

4Ω

270w **90w**
MAX RMS

D-SERIES



TS-D69F

6"x9" 2-Way Coaxial Speaker

4Ω

330w **110w**
MAX RMS



TS-D12D4

12" Component DVC Subwoofer

DUAL 4Ω

2000w **600w**
MAX RMS

MAGNET WEIGHT 2,100g



TS-D12D2

12" Component DVC Subwoofer

DUAL 2Ω

2000w **600w**
MAX RMS

MAGNET WEIGHT 2,100g



TS-D10D4

10" Component DVC Subwoofer

DUAL 4Ω

1500w **500w**
MAX RMS

MAGNET WEIGHT 1,600g



TS-D10D2

10" Component DVC Subwoofer

DUAL 2Ω

1500w **500w**
MAX RMS

MAGNET WEIGHT 1,600g



TS-D10LS4

10" Shallow Component SVC Subwoofer

SINGLE 4Ω

1300w **350w**
MAX RMS

MAGNET WEIGHT 1,230g



TS-D10LS2

10" Shallow Component SVC Subwoofer

SINGLE 2Ω

1300w **350w**
MAX RMS

MAGNET WEIGHT 1,230g



TS-D10LB

10" Sealed Enclosure SVC Subwoofer

SINGLE 2Ω

1300w **350w**
MAX RMS

BACK TO MENU



RICHER BASS & WELL-CONTROLLED SOUND





Carbon & Mica reinforced IMPP cone for deep and rich bass sound.

Newly design adaptor offers a wider range of installation options and helps to ensure well-controlled sound.



TS-A6998S

6"x9" 5-Way Speaker

4Ω

750w 150w

MAX

RMS



MAGNET WEIGHT

840g

NEW



TS-A6988S

6"x9" 5-Way Speaker

4Ω

700w 120w

MAX

RMS



MAGNET WEIGHT

430g

NEW



TS-A6978S

6"x9" 4-Way Speaker

4Ω

650w 100w

MAX

RMS



MAGNET WEIGHT

430g

NEW



TS-A6968S

6"x9" 4-Way Speaker

4Ω

450w 90w

MAX

RMS



MAGNET WEIGHT

320g

NEW



TS-A1688S

6.5" 4-Way Speaker with Adapter

4Ω

350w 80w

MAX

RMS

NEW



TS-A1678S

6.5" 3-Way Speaker with Adapter

4Ω

320w 70w

MAX

RMS

NEW



TS-A1608C

6.5" 2-Way Component Speaker External Crossover

4Ω

350w 80w

MAX

RMS

NEW



TS-A6881F

6"x8" 4-Way Speaker

4Ω

350w 80w

MAX

RMS

NEW



TS-A1301C

13cm 2-Way Component Speaker

4Ω

300w 50w

MAX

RMS

NEW



NEW

TS-A1371F

13cm 3-Way Speaker

4Ω

300w MAX 50w RMS



NEW

TS-A4671F

4\"X6\" 4-Way Speaker

4Ω

210w MAX 30w RMS



NEW

TS-A1081F

10cm 2-Way Speaker

4Ω

230w MAX 50w RMS



NEW

TS-A301TW

20mm Tweeter

6Ω

450w MAX 100w RMS



TS-A300B

12\" Bass-Reflex Type Subwoofer

SINGLE 2Ω

1500w MAX 500w RMS



TS-A250D4

10\" DVC Component Subwoofer

4Ω

1300w MAX 400w RMS

MAGNET WEIGHT 1,600g



TS-A250S4

10\" SVC Component Subwoofer

SINGLE 4Ω

1300w MAX 400w RMS

MAGNET WEIGHT 1,600g



TS-A30S4

12\" SVC Component Subwoofer

4Ω

1400w MAX 400w RMS

MAGNET WEIGHT 1,300g



TS-A3000LS4

12\" Shallow SVC Component Subwoofer

SINGLE 4Ω

1500w MAX 400w RMS

MAGNET WEIGHT 2,030g



TS-A3000LB

12\" Shallow Box Type Component Subwoofer

SINGLE 2Ω

1500w MAX 400w RMS



TS-A2500LS4

10" Shallow SVC Component Subwoofer

SINGLE
4Ω

1200w 300w
MAX RMS

MAGNET WEIGHT 1,230g



TS-A2500LB

10" Shallow Box Type Component Subwoofer

SINGLE
2Ω

1200w 300w
MAX RMS



TS-A2000LD2

8" Shallow DVC Component Subwoofer

DUAL
2Ω

700w 250w
MAX RMS

MAGNET WEIGHT 840g



TS-A2000LB

8" Shallow Box Type Component Subwoofer

SINGLE
2Ω

700w 250w
MAX RMS



TS-A25S4

10" SVC Component Subwoofer

SINGLE
4Ω

1200w 350w
MAX RMS

MAGNET WEIGHT 1,300g

BACK TO MENU

R

series/séries

LOUD & AGGRESSIVE



MULTILAYERTM
MICA
MATRIX
CONE

A combination of rigid mica and light pulp enable the cone to reproduce clear, energetic Loud & Aggressive sound.



TS-R6951S

6"x9" 3-Way Speaker

4Ω

400w 50w
MAX RMS



TS-R1651S-2

6.5" 3-Way Speaker

4Ω

300w **40w**
MAX RMS



TS-R1051S

4" 3-Way Speaker

4Ω

210w **30w**
MAX RMS

BACK TO MENU

G

series/séries

WELL-BALANCED SOUND



IP™
INJECTION
MOLDED
CONE

Optimal sound reproduction features well-balanced combination of vocal and bass.



TS-G160C-2

6.5" 2-Way Component Speaker

4Ω

300w **45w**
MAX RMS



TS-G1620F-2

6.5" 2-Way Speaker

4Ω

300w **40w**
MAX RMS



TS-G1610F-2

6.5" Dual Cone Speaker

4Ω

280w **40w**
MAX RMS



TS-G1320F

5.25" 2-Way Speaker

4Ω

250w **35w**
MAX RMS



TS-G1310F

5.25" Dual Cone Speaker

4Ω

230w **35w**
MAX RMS

G-SERIES



TS-G1020F

4" 2-Way Speaker

4Ω

210w **30w**
MAX RMS



TS-G1010F

4" Dual Cone Speaker

4Ω

190w **30w**
MAX RMS



TS-G6930F

6"x9" 3-Way Speaker

4Ω

400w **45w**
MAX RMS



TS-G4620S

4"x6" 2-Way Speaker

4Ω

200w **30w**
MAX RMS

BACK TO MENU

PRO
PIONEER
REFERENCE FOR
OPEN SHOW

**ULTRA-HIGH POWER
HANDLING & SENSITIVITY OF
SOUND REPRODUCTION**



Open Show design: edgy, dynamic appearance.

Designed specifically for those looking to produce some serious sound pressure levels.



TS-6900PRO

6"x9" 2-Way PRO Speaker

4Ω

600w **100w**
MAX RMS



TS-M801PRO

8" Mid Bass PRO Driver

4Ω

700w **200w**
MAX RMS



TS-M2010PRO

8" Mid Bass PRO Driver

4Ω

400w **200w**
MAX RMS

NEW

NEW

PRO SERIES



TS-M651PRO

6.5" Mid Bass PRO Driver

4Ω

500w 120w
MAX RMS



TS-M1610PRO

6.5" Mid Bass PRO Driver

4Ω

300w 100w
MAX RMS



TS-B401PRO

4" PRO Bullet Tweeter

4Ω

600w 300w
MAX RMS



TS-B1010PRO

4" PRO Bullet Tweeter

Shallow 4Ω

150w 50w
MAX RMS



TS-B351PRO

3.5" PRO Bullet Tweeter

4Ω

300w 150w
MAX RMS



TS-W3820PRO

15" DVC High-Efficiency Subwoofer

2Ω + 2Ω DVC

3500w 1800w
MAX RMS



TS-W3020PRO

12" DVC High-Efficiency Subwoofer

2Ω + 2Ω DVC

3500w 1800w
MAX RMS



TS-W3010PRO

12" DVC High-Efficiency Subwoofer

2Ω + 2Ω DVC

1500w 600w
MAX RMS

BACK TO MENU



MARINE

series/séries

ENHANCED PROTECTION
FOR MARINE USE





TS-ME650FS

6.5" Marine 2-Way Speaker
with Sports Grille

4Ω



250w MAX 75w RMS



TS-ME650FC

6.5" Marine 2-Way Speaker
with Classic Grille

4Ω



250w MAX 75w RMS



TS-ME770FS

7.7" Marine 2-Way Speaker
with Sports Grille

4Ω



250w MAX 75w RMS



TS-ME770FC

7.7" Marine 2-Way Speaker
with Classic Grille

4Ω



250w MAX 75w RMS



TS-ME770TSW

7.7" Tower Speaker System
White with Sports Grille

4Ω



250w MAX 100w RMS

R G B LED



TS-ME770TSB

7.7" Tower Speaker System
Black with Sports Grille

4Ω



250w MAX 100w RMS

R G B LED



TS-ME770TC

7.7" Tower Speaker System
White with Classic Grille

4Ω



250w MAX 100w RMS

R G B LED



TS-ME100WS

10" SVC Marine Component
Subwoofer with Sports Grille

SINGLE
4Ω



900w MAX 300w RMS



TS-ME100WC

10" SVC Marine Component
Subwoofer with Classic Grille

SINGLE
4Ω



900w MAX 300w RMS

ACTIVE

SUBWOOFERS

HIGH-QUALITY BASS IN
VARIOUS SIZES



ACTIVE SUBWOOFERS



TS-WX1220AH

Dual 12" Bass Reflex Box Type Powered Subwoofer

SINGLE 0.6Ω x2

3000w **1000w**
MAX RMS

Built-in **1200w** CLASS-D Amp

Dimensions: 745 x 459(375) x 400 mm



TS-WX1210AH

12" Bass Reflex Box Type Powered Subwoofer

SINGLE 0.6Ω

1500w **500w**
MAX RMS

Built-in **600w** CLASS-D Amp

Dimensions: 373 x 459 (375) x 400 mm



TS-WX300TA

12" Bass-Reflex Tube Type Active Subwoofer

SINGLE 0.5Ω

1300w **350w**
MAX RMS

Dimensions: $\phi 332$ (Diam.) x 663 (mm)



TS-WX1010LA

10" Shallow Sealed Active Subwoofer

SINGLE 0.25Ω

1200w **300w**
MAX RMS

Built-in **600w** CLASS-D Amp

Dimensions: 533 x 300 x 150 mm



TS-WX70DA

Active Subwoofer

DUAL 2Ω x2

200w **100w**
MAX RMS

Dimensions: 850 x 97 x 323 mm



TS-WX400DA

Compact Active Subwoofer

SINGLE 0.5Ω

250w **100w**
MAX RMS

Dimensions: 300 x 100 x 200 mm



TS-WX010A

Compact Active Foot-Space Subwoofer

SINGLE 1Ω

160w **50w**
MAX RMS

Dimensions: 230 x 70 x 116 mm



TS-WX140DA

Compact Active Subwoofer

SINGLE 1Ω

170w **50w**
MAX RMS

Dimensions: 280 x 70 x 200 mm



TS-WX130EA

Compact Active Subwoofer

SINGLE
1Ω

160w **50w**
MAX RMS

Dimensions: 280 x 70 x 200 mm



TS-WH500A

HVT Active Subwoofer

SINGLE
4Ω

150w **50w**
MAX RMS

Dimensions: 340 x 60 x 250 mm



TS-WX210A

Active Subwoofer

150w **50w**
MAX RMS

Dimensions: 250 x 265 x 110 mm

BACK TO MENU

OTHERS



TS-S20

20mm High Power
Super Tweeter

8Ω

200w **50w**
MAX RMS



TS-S250

40mm High-Power
Tune-Up Tweeter

8Ω

250w **50w**
MAX RMS



TS-WX306T

12" Bass-Reflex Tube
Type Subwoofer

SINGLE
4Ω

1300w **350w**
MAX RMS



TS-WX306B

12" Bass-Reflex Subwoofer

SINGLE
4Ω

1300w **350w**
MAX RMS



AMPLIFIERS

霸
Champion series PRO

GM-DC971

Class-D Mono Amplifier

Mono

2400w
MAX



NEW

Perfect Matching Subwoofer **TS-W3004D4** [MORE INFO](#) 

霸
Champion series

GM-DC871

Class-D Mono Amplifier

Mono

1600w
MAX



NEW

Perfect Matching Subwoofer **TS-W312D4** [MORE INFO](#) 

霸
Champion series

GM-DC874

Class-D 4-Channel Amplifier

4 CH

1200w
MAX



NEW

Perfect Matching Speakers **Champion Series** [MORE INFO](#) 

GM-D9705

Class-D 5-Channel Amplifier with Wired Bass Boost Remote

5 CH

2000w
MAX



GM-D9704

Class-D 4-Channel Amplifier with Wired Bass Boost Remote

4 CH

1600w
MAX



GM-D9701

Class-D Mono Amplifier with Wired Bass Boost Remote

Mono

2400w
MAX



GM-DX874

Class-D 4-Channel Amplifier with Wired Bass Boost Remote



Hi-Res AUDIO

4 CH

1200w
MAX

GM-D8704

Class-D 4-Channel Amplifier with Wired Bass Boost Remote



4 CH

1200w
MAX

GM-D8701

Class-D 4-Channel Amplifier with Wired Bass Boost Remote



Mono

1600w
MAX

GM-E7004

4-Channel Bridgeable Amplifier with Bass Boost



4 CH

1000w
MAX

*Limited Distribution Only

GM-E7002

2-Channel Bridgeable Amplifier with Bass Boost



2 CH

500w
MAX

*Limited Distribution Only

GM-A6704

4-Channel Bridgeable Amplifier with Bass Boost



4 CH

1000w
MAX

GM-A5702

2-Channel Bridgeable Amplifier with Bass Boost



2 CH

1000w
MAX

GM-A4704

4-Channel Bridgeable Amplifier



4 CH

520w
MAX

GM-A3702

2-Channel Bridgeable Amplifier



2 CH

500w
MAX

GM-ME500X1

Class-D Mono Amplifier Designed for Marine Use



Mono

1600w
MAX

GM-ME400X4

Class-D 4-Channel Amplifier Designed for Marine Use



4 CH

800w
MAX



DESIGNED FOR HI-RES AUDIO

The quality of music recordings available to listeners has evolved. Hi-Res Audio recordings contain significantly more data compared to a standard CD recording and require a loudspeaker that is capable of smoothly reproducing frequencies of 40kHz or higher. Speakers with Hi-Res Audio are designed to deliver sound that's clearer, sharper and more complex - reproducing music that is closer to the original performance.



A surface containing mica properly maintains the cone's superior rigidity and internal loss. The back makes excellent use of light, water-resistant material. Various materials were carefully combined to develop a diaphragm of extra lightness and rigidity to reproduce sound clearly with outstanding responsiveness, sensitivity and a suitable degree of internal loss.



OPEN & SMOOTH

Pioneer's OPEN & SMOOTH sound concept provides a seamless and smooth transition between the midrange and tweeter drivers and delivers uniform off-axis frequency response optimized for automotive applications where one or more speakers are often aimed away from the listeners' ears.



An extremely rigid yet lightweight cone is vital to prevent cone failure at high sound pressure levels. Pioneer's IMPP Composite Cones meet this need perfectly. CAE (computer-aided engineering) has been applied to create a surface spoke design that ensures high durability and rigidity of the cone..