



Champion series PRO



2025-2026 SOUND PRODUCTS



Champion series

D
SERIES

R
series/séries

MARINE
series/séries

ACTIVE
SUBWOOFERS

Z
SERIES

A
series/séries

G
series/séries

PRO
PIONEER
REFERENCE FOR
OPEN SHOW

OTHERS

AMPLIFIERS

Champion series

HIGH POWER &
FORCEFUL BASS

Tougher at handling more high power input at higher volume without compromising higher quality.

Dual Spiders and Motor Assembly is the driving force of massive dynamic sound that's true to the Champion Series name.

霸
Champion series



TS-6965V3

6"x9" 3-Way Speaker

4Ω

450w 80w
MAX RMS
MAGNET WEIGHT 380g

霸
Champion series



TS-7150F

7"x10" 5-Way Speaker

4Ω

500w 80w
MAX RMS
MAGNET WEIGHT 490g

霸
Champion series PRO



TS-1675V3

6.5" 3-Way Speaker

4Ω

500w 80w
MAX RMS

霸
Champion series PRO



TS-W3004D4

12" DVC Component Subwoofer

DUAL
4Ω

2400w 800w
MAX RMS
MAGNET WEIGHT 3,250g

霸
Champion series



TS-W312D4

12" DVC Component Subwoofer

DUAL
4Ω

1600w 500w
MAX RMS

MAGNET
WEIGHT 2,540g

霸
Champion series



TS-W312S4

12" SVC Component Subwoofer

SINGLE
4Ω

1600w 500w
MAX RMS

MAGNET
WEIGHT 2,540g

霸
Champion series



TS-W32S4

12" SVC Component Subwoofer

SINGLE
4Ω

1500w 400w
MAX RMS

MAGNET
WEIGHT 1,300g



TS-WX3000T

12" Bass Reflex Tube Subwoofer

SINGLE
4Ω

1600w 500w
MAX RMS



Hi-Res
AUDIO

OPEN &
SMOOTH™

Wider frequency range, resulting from the tweeter's optimal aluminium diaphragm shape and Vertex Drive System, enriches and expands sound field presence in the car cabin.

Dynamic range is widened, thanks to the speaker's light, rigid Aramid fiber cone, superior linearity and low distortion.



TS-Z65CH

6.5" 2-Way Component Speaker
External Crossover

4Ω

330w 110w
MAX RMS



TS-Z65C

6.5" 2-Way Component Speaker
External Crossover

4Ω

300w 100w
MAX RMS



TS-Z65F

6.5" 2-Way Coaxial Speaker

4Ω

330w 110w
MAX RMS



TS-Z10LS4

10" Shallow Component
SVC Subwoofer

SINGLE

4Ω

1300w 400w
MAX RMS

 MAGNET
WEIGHT 1,920g



TS-Z10LS2

10" Shallow Component
SVC Subwoofer

SINGLE

2Ω

1300w 400w
MAX RMS

 MAGNET
WEIGHT 1,920g

D
SERIES

BOLD SOUND &
WIDE COVERAGE



OPEN &
SMOOTH™

 INJECTION
MOLDED
CONE™

Aramid Fiber Interlaced IMPP™ Cone
for rich linear bass sound.

Diverse lineup of speakers for
installation in a wide range of cars.



TS-D65C

6.5" 2-Way Component Speaker

4Ω

270w 90w
MAX RMS



TS-D69C

6" x 9" 2-Way Component Speaker

4Ω

330w 110w
MAX RMS



TS-D65F

6.5" 2-Way Coaxial Speaker

4Ω

270w 90w
MAX RMS

TS-D69F



6" x 9" 2-Way Coaxial Speaker

4Ω

330w MAX 110w RMS

TS-D12D4



12" Component DVC Subwoofer

DUAL 4Ω

2000w MAX 600w RMS

 MAGNET WEIGHT 2,100g

TS-D12D2



12" Component DVC Subwoofer

DUAL 2Ω

2000w MAX 600w RMS

 MAGNET WEIGHT 2,100g

TS-D10D4



10" Component DVC Subwoofer

DUAL 4Ω

1500w MAX 500w RMS

 MAGNET WEIGHT 1,600g

TS-D10D2



10" Component DVC Subwoofer

DUAL 2Ω

1500w MAX 500w RMS

 MAGNET WEIGHT 1,600g

TS-D10LS4



10" Shallow Component SVC Subwoofer

SINGLE 4Ω

1300w MAX 350w RMS

 MAGNET WEIGHT 1,230g

TS-D10LS2



10" Shallow Component SVC Subwoofer

SINGLE 2Ω

1300w MAX 350w RMS

 MAGNET WEIGHT 1,230g

TS-D10LB



10" Sealed Enclosure SVC Subwoofer

SINGLE 2Ω

1300w MAX 350w RMS

 MAGNET WEIGHT 1,230g

A
series/séries

RICHER BASS &
WELL-CONTROLLED SOUND





TM
INJECTION
MOLDED
CONE

OPEN &
SMOOTH™

Carbon & Mica reinforced IMPP cone
for deep and rich bass sound.

Newly design adaptor offers a wider
range of installation options and helps
to ensure well-controlled sound.

NEW



TS-A6998S

6" x 9" 5-Way Speaker

4Ω

750w 150w

MAX

RMS

MAGNET WEIGHT 840g



TS-A6988S

6" X 9" 5-Way Speaker

4Ω

700w 120w

MAX

RMS

MAGNET WEIGHT 430g



TS-A6978S

6" X 9" 4-Way Speaker

4Ω

650w 100w

MAX

RMS

MAGNET WEIGHT 430g

NEW

NEW



TS-A6968S

6" X 9" 4-Way Speaker

4Ω

450w 90w

MAX

RMS

MAGNET WEIGHT 320g



TS-A1688S

6.5" 4-Way Speaker
with Adapter

4Ω

350w 80w

MAX

RMS

NEW

NEW



TS-A1678S

6.5" 3-Way Speaker
with Adapter

4Ω

320w 70w

MAX

RMS



TS-A1608C

6.5" 2-Way Component Speaker
External Crossover

4Ω

350w 80w

MAX

RMS

NEW

NEW



TS-A6881F

6" X 8" 4-Way Speaker

4Ω

350w 80w

MAX

RMS

NEW



TS-A1301C

13cm 2-Way Component
Speaker

4Ω

300w 50w

MAX

RMS



TS-A1371F

13cm 3-Way Speaker

4Ω

300w
MAX 50w
RMS

NEW



TS-A4671F

4"X6" 4-Way Speaker

4Ω

210w
MAX 30w
RMS

NEW



TS-A1081F

10cm 2-Way Speaker

4Ω

230w
MAX 50w
RMS

NEW



TS-A301TW

20mm Tweeter

6Ω

450w
MAX 100w
RMS

NEW



TS-A300B

12" Bass-Reflex Type Subwoofer

SINGLE
2Ω

1500w
MAX 500w
RMS



TS-A250D4

10" DVC Component Subwoofer

4Ω

1300w
MAX 400w
RMS

MAGNET WEIGHT 1,600g



TS-A250S4

10" SVC Component Subwoofer

SINGLE
4Ω

1300w
MAX 400w
RMS

MAGNET WEIGHT 1,600g



TS-A30S4

12" SVC Component Subwoofer

4Ω

1400w
MAX 400w
RMS

MAGNET WEIGHT 1,300g



TS-A3000LS4

12" Shallow SVC Component Subwoofer

SINGLE
4Ω

1500w
MAX 400w
RMS

MAGNET WEIGHT 2,030g



TS-A3000LB

12" Shallow Box Type Component Subwoofer

SINGLE
2Ω

1500w
MAX 400w
RMS

TS-A2500LS4

10" Shallow SVC Component Subwoofer

SINGLE
4Ω

1200w 300w

MAX RMS

 MAGNET WEIGHT 1,230g



TS-A2500LB

10" Shallow Box Type Component Subwoofer

SINGLE
2Ω

1200w 300w

MAX RMS



TS-A2000LD2

8" Shallow DVC Component Subwoofer

DUAL
2Ω

700w 250w

MAX RMS

 MAGNET WEIGHT 840g



TS-A2000LB

8" Shallow Box Type Component Subwoofer

SINGLE
2Ω

700w 250w

MAX RMS



TS-A25S4

10" SVC Component Subwoofer

SINGLE
4Ω

1200w 350w

MAX RMS

 MAGNET WEIGHT 1,300g



R

series/séries

LOUD & AGGRESSIVE

 MULTILAYER
MICA
MATRIX
CONE™

A combination of rigid mica and light pulp enable the cone to reproduce clear, energetic Loud & Aggressive sound.



TS-R6951S

6"x9" 3-Way Speaker

4Ω

400w 50w

MAX RMS



TS-R1651S-2

6.5" 3-Way Speaker

4Ω

300W MAX 40W RMS



TS-R1051S

4" 3-Way Speaker

4Ω

210W MAX 30W RMS

G
series/séries

WELL-BALANCED SOUND



Optimal sound reproduction features well-balanced combination of vocal and bass.

TS-G160C-2

6.5" 2-Way Component Speaker

4Ω

300W MAX 45W RMS



TS-G1620F-2

6.5" 2-Way Speaker

4Ω

300W MAX 40W RMS



TS-G1610F-2

6.5" Dual Cone Speaker

4Ω

280W MAX 40W RMS



TS-G1320F

5.25" 2-Way Speaker

4Ω

250W MAX 35W RMS



TS-G1310F

5.25" Dual Cone Speaker

4Ω

230W MAX 35W RMS



TS-G1020F

4" 2-Way Speaker

4Ω

210w
MAX 30w
RMS



TS-G1010F

4" Dual Cone Speaker

4Ω

190w
MAX 30w
RMS



TS-G6930F

6"x9" 3-Way Speaker

4Ω

400w
MAX 45w
RMS



TS-G4620S

4"x6" 2-Way Speaker

4Ω

200w
MAX 30w
RMS



**ULTRA-HIGH POWER
HANDLING & SENSITIVITY OF
SOUND REPRODUCTION**



Open Show design: edgy, dynamic appearance.

Designed specifically for those looking to produce some serious sound pressure levels.



TS-6900PRO

6"x9" 2-Way PRO Speaker

4Ω

600w
MAX 100w
RMS



TS-M801PRO

8" Mid Bass PRO Driver

4Ω

700w
MAX 200w
RMS



TS-M2010PRO

8" Mid Bass PRO Driver

4Ω

400w
MAX 200w
RMS

NEW

NEW



NEW

TS-M651PRO

6.5" Mid Bass PRO Driver

4Ω

500w MAX 120w RMS



NEW

TS-M161PRO

6.5" Mid Bass PRO Driver

4Ω

300w MAX 100w RMS



NEW

TS-B401PRO

4" PRO Bullet Tweeter

4Ω

600w MAX 300w RMS



NEW

TS-B1010PRO

4" PRO Bullet Tweeter

Shallow 4Ω

150w MAX 50w RMS



NEW

TS-B351PRO

3.5" PRO Bullet Tweeter

4Ω

300w MAX 150w RMS



NEW

TS-W3820PRO

15" DVC High-Efficiency Subwoofer

2Ω + 2Ω DVC

3500w MAX 1800w RMS



NEW

TS-W3020PRO

12" DVC High-Efficiency Subwoofer

2Ω + 2Ω DVC

3500w MAX 1800w RMS



NEW

TS-W3010PRO

12" DVC High-Efficiency Subwoofer

2Ω + 2Ω DVC

1500w MAX 600w RMS

MARINE
series/séries

**ENHANCED PROTECTION
FOR MARINE USE**





TS-ME650FS

6.5" Marine 2-Way Speaker
with Sports Grille

4Ω



250w
MAX
75w
RMS



TS-ME650FC

6.5" Marine 2-Way Speaker
with Classic Grille

4Ω



250w
MAX
75w
RMS



TS-ME770FS

7.7" Marine 2-Way Speaker
with Sports Grille

4Ω



250w
MAX
75w
RMS



TS-ME770FC

7.7" Marine 2-Way Speaker
with Classic Grille

4Ω



250w
MAX
75w
RMS



TS-ME770TSW

7.7" Tower Speaker System
White with Sports Grille

4Ω



250w
MAX
100w
RMS

R G B LED



TS-ME770TSB

7.7" Tower Speaker System
Black with Sports Grille

4Ω



250w
MAX
100w
RMS

R G B LED



TS-ME770TC

7.7" Tower Speaker System
White with Classic Grille

4Ω



250w
MAX
100w
RMS

R G B LED



TS-ME100WS

10" SVC Marine Component
Subwoofer with Sports Grille

SINGLE
4Ω



900w
MAX
300w
RMS



TS-ME100WC

10" SVC Marine Component
Subwoofer with Classic Grille

SINGLE
4Ω



900w
MAX
300w
RMS

ACTIVE

SUBWOOFERS

HIGH-QUALITY BASS IN
VARIOUS SIZES



Dimensions: 745 x 459(375) x 400 mm

TS-WX1220AH

Dual 12" Bass Reflex Box
Type Powered Subwoofer

SINGLE
0.6Ω x2

3000w 1000w
MAX RMS

Built-in 1200w Amp
CLASS-D



Dimensions: 373 x 459 (375) x 400 mm

TS-WX1210AH

12" Bass Reflex Box Type
Powered Subwoofer

SINGLE
0.6Ω

1500w 500w
MAX RMS

Built-in 600w Amp
CLASS-D



Dimensions: φ332 (Diam.) x 663 (mm)

TS-WX300TA

12" Bass-Reflex Tube Type Active
Subwoofer

SINGLE
0.5Ω

1300w 350w
MAX RMS



Dimensions: 533 x 300 x150 mm

TS-WX1010LA

10" Shallow Sealed
Active Subwoofer

SINGLE
0.25Ω

1200w 300w
MAX RMS

Built-in 600w Amp
CLASS-D



Dimensions: 850 x 97 x 323 mm

TS-WX70DA

Active Subwoofer

DUAL
2Ω x2

200w 100w
MAX RMS



Dimensions: 300 x 100 x 200 mm

TS-WX400DA

Compact Active Subwoofer

SINGLE
0.5Ω

250w 100w
MAX RMS



NEW
EISA
AWARD
Best
Product
2021-2022
IN-CAR COMPACT SUBWOOFER
Pioneer TS-WX010A

Dimensions: 230 x 70 x 116 mm

TS-WX010A

Compact Active
Foot-Space Subwoofer

SINGLE
1Ω

160w 50w
MAX RMS



Dimensions: 280 x 70 x 200 mm

TS-WX140DA

Compact Active Subwoofer

SINGLE
1Ω

170w 50w
MAX RMS

**TS-WX130EA**

Compact Active Subwoofer

SINGLE
1Ω**160w**
MAX **50w**
RMS

Dimensions: 280 x 70 x 200 mm

**TS-WH500A**

HVT Active Subwoofer

SINGLE
4Ω**150w**
MAX **50w**
RMS

Dimensions: 340 x 60 x 250 mm

**TS-WX210A**

Active Subwoofer

150w
MAX **50w**
RMS

Dimensions: 250 x 265 x 110 mm

OTHERS

**TS-S20**20mm High Power
Super Tweeter

8Ω

200w
MAX **50w**
RMS**TS-S250**40mm High-Power
Tune-Up Tweeter

8Ω

250w
MAX **50w**
RMS**TS-WX306T**12" Bass-Reflex Tube
Type SubwooferSINGLE
4Ω**1300w**
MAX **350w**
RMS**TS-WX306B**

12" Bass-Reflex Subwoofer

SINGLE
4Ω**1300w**
MAX **350w**
RMS



AMPLIFIERS



GM-DC971

Class-D Mono Amplifier

Mono

2400w
MAX

NEW



GM-DC871

Class-D Mono Amplifier

Mono

1600w
MAX

NEW



GM-DC874

Class-D 4-Channel Amplifier

4 CH

1200w
MAX

NEW



GM-D9705

Class-D 5-Channel Amplifier
with Wired Bass Boost Remote

5 CH

2000w
MAX



GM-D9704

Class-D 4-Channel Amplifier
with Wired Bass Boost Remote

4 CH

1600w
MAX



GM-D9701

Class-D Mono Amplifier with
Wired Bass Boost Remote

Mono

2400w
MAX



GM-DX874

Class-D 4-Channel Amplifier
with Wired Bass Boost Remote



Hi-Res
AUDIO

4 CH

1200w
MAX

GM-D8704

Class-D 4-Channel Amplifier
with Wired Bass Boost Remote



4 CH

1200w
MAX

GM-D8701

Class-D 4-Channel Amplifier
with Wired Bass Boost Remote



Mono

1600w
MAX

GM-E7004

4-Channel Bridgeable Amplifier
with Bass Boost



4 CH

1000w
MAX

*Limited Distribution Only

GM-E7002

2-Channel Bridgeable Amplifier
with Bass Boost

2 CH

500w
MAX



*Limited Distribution Only

GM-A6704

4-Channel Bridgeable
Amplifier with Bass Boost



4 CH

1000w
MAX

GM-A5702

2-Channel Bridgeable
Amplifier with Bass Boost

2 CH

1000w
MAX



GM-A4704

4-Channel Bridgeable Amplifier



4 CH

520w
MAX

GM-A3702

2-Channel Bridgeable Amplifier

2 CH



500w
MAX

GM-ME500X1

Class-D Mono Amplifier
Designed for Marine Use

Mono



1600w
MAX

GM-ME400X4

Class-D 4-Channel Amplifier
Designed for Marine Use

4 CH



800w
MAX



DESIGNED FOR HI-RES AUDIO

The quality of music recordings available to listeners has evolved. Hi-Res Audio recordings contain significantly more data compared to a standard CD recording and require a loudspeaker that is capable of smoothly reproducing frequencies of 40kHz or higher. Speakers with Hi-Res Audio are designed to deliver sound that's clearer, sharper and more complex - reproducing music that is closer to the original performance.



A surface containing mica properly maintains the cone's superior rigidity and internal loss. The back makes excellent use of light, water-resistant material. Various materials were carefully combined to develop a diaphragm of extra lightness and rigidity to reproduce sound clearly with outstanding responsiveness, sensitivity and a suitable degree of internal loss.

OPEN & SMOOTH

Pioneer's OPEN & SMOOTH sound concept provides a seamless and smooth transition between the midrange and tweeter drivers and delivers uniform off-axis frequency response optimized for automotive applications where one or more speakers are often aimed away from the listeners' ears.



An extremely rigid yet lightweight cone is vital to prevent cone failure at high sound pressure levels. Pioneer's IMPP Composite Cones meet this need perfectly. CAE (computer-aided engineering) has been applied to create a surface spoke design that ensures high durability and rigidity of the cone..



Message from the President

Pioneer started as a speaker manufacturer in 1938. Since its founding as a Pioneer Group company in 1966, Tohoku Pioneer has been expanding its speaker-based business to deliver a wide variety of products to people around the world. Today our diverse line of products includes top-of-the-line TAD-branded speakers and hi-fi components, as well as in-car speakers designed to bring immersive entertainment experiences. Every one of these products is built with our industry-leading expertise in product development, engineering, and manufacturing.

What has driven us to where we are today is the Pioneer Group's shared philosophy of "Move the Heart and Touch the Soul." Under this philosophy, all of us at Tohoku Pioneer have been honing our prowess and competitive advantages in sound technologies and relentlessly pursuing ways to take sound solutions to the next level.

Tohoku Pioneer is committed to continuing to offer best-in-class products that deliver a higher level of emotionally uplifting experiences to people around the world.



Naoto Takashima

Representative Director
President and CEO
Tohoku Pioneer Corporation

Pioneer